

Measured By:

Office Phone:

Cell Phone:

File Name test
Date 5-18-2010
Time 9:02:00

	Up Stream	Down Stream
Connect Rate	1154 K	7699 K
Max Rate	1154 K	7908 K
Capacity	100 %	97 %
TX Power	12 dB	22 dB
Attenuation	28 dB	45 dB
Margin	6 dB	6 dB

Atuc Vendor code 4244434d(BDCM)

Revision 2

MODEM STATE SHOWTIME

FRAMING MODE ADSL2+

LOM BIN COUNT

RESYNC COUNT 1

LOS ERRORS 0

LOF ERRORS 0

LOP ERRORS 0

UP INTLV CRC 0

DN INTLV CRC 0

UP INTLV FEC 0

DN INTLV FEC 120

UP INTLV HEC 0

DN INTLV HEC 0

UP FAST CRC 0

DN FAST CRC 0

UP FAST FEC 0

DN FAST FEC 0

UP FAST HEC 0

DN FAST HEC 0

UP GOOD CELL CNT 61

UP IDLE CELL CNT 71498

DN GOOD CELL CNT 57

DN IDLE CELL CNT 476918

BAD HEC CELL CNT 0

DROPPED CELL CNT 0

TX PDU 24

RX PDU 27

TX AAL5 BYTES 1254

RX AAL5 BYTES 1926

TX TOTAL ERROR CNT 0

RX TOTAL ERROR CNT 0


NEAR END F5 LB CNT 0

NEAR END F4 LB CNT 0

FAR END F5 LB CNT 0

FAR END F4 LB CNT 0

PING SENT	0
PING RECEIVED	0
PING DELAY	0.00 ms
PING MIN DELAY	0.00 ms
PING MAX DELAY	0.00 ms
PING AVG DELAY	0.00 ms
ENET STATE	DOWN
ENET TX BYTES	0
ENET TX FRAMES	0
ENET COLLISIONS	0
ENET TX ERRORS	0
ENET RX BYTES	0
ENET RX FRAMES	0
ENET RX CRC ERRORS	0



SNR TABLE

SNR

